



LED UNDER WATER LIGHT 25W - SERIES A
PRODUCT OUTDOOR



ASLED LIGHT CO.,LTD

LED UNDER WATER LIGHT 25W

02

SPECCIFICATION



SPECCIFICATION


- Order Code: UA025, UA025RGBW
- Input Voltage: 24VDC
- Dimension: Ø100xH152 Cutout Ø88 mm
- Chip LED: CREE
- Power consumption: 25W
- Luminous Flux: 2250lm at 3000K, 25W, CRI>90, 36°
- Material: Stainless steel
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K, RGBW
- CRI: >90
- Beam angle: 12° 15° 24° 36° 50°
- IP Rating: IP68
- Life time: 50.000 hour
- Control: ON/OFF
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires





LED UNDER WATER LIGHT 25W

TECHNICAL DETAILS

TECHNICAL DETAILS




DIMENSIONS




LED UNDER WATER LIGHT 25W

04


SPECIFICATION




OPTICS



INSTALLATION




CONNECTOR IP68



LED UNDER WATER LIGHT 25W

05


POWER SUPPLIES - INPUT VOTAGE



LED UNDER WATER LIGHT 25W

06


DIAGRAM CONNECTOR - DMX PROTOCOL - 4 CORE & DECODER



LED UNDER WATER LIGHT 25W

07

DIAGRAM CONNECTOR - DMX PROTOCOL - 5 CORE



LED UNDER WATER LIGHT 25W - Applications

08



OUTDOOR



LANDSCAPE



HOTEL/RESTAURANT



LED UNDER WATER LIGHT 25W - Applications





THANKS FOR YOUR
ATTENTION