



LED DOWNLIGHT 10W - SERIES B
PRODUCT INDOOR



LED DOWNLIGHT 10W

02

SPECIFICATION



SPECIFICATION


- Order Code: DB010
- Input Voltage: 24Vdc, 220Vac, Dimmable
- Dimension: Ø90xH70 Cutout Ø80 mm
- Chip LED: CREE
- Power consumption: 10W
- Luminous Flux: 900Lm at 3000K, 10W, CRI>90, 36°
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color[CRI]: 3000K, 4000K, 5000K
- CRI: >90
- Beam angle: 12° 25° 36° 50°
- IP Rating: IP44 (Update IP67)
- Life time: 50.000 hours
- Control: ON/OFF, 0 - 10V, DALI, DMX
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires




LED DOWNLIGHT 10W

TECHNICAL DETAILS


TECHNICAL DETAILS





Legace



Select Color XX



DIMENSIONS



Beam Angle: 12° 24° 36° 50°


LED DOWNLIGHT 10W

04


SPECIFICATION

10W 3000K


PHOTOMETRIC CURVE



BEAM 36° AMPLITUDE DIAGRAM



INSTALLATION





INDOOR



OFFICE



HOTEL/RESTAURANT



LED DOWNLIGHT 10W - Applications





THANKS FOR YOUR
ATTENTION