



LED UNDER WATER LIGHT 23W - SERIES A  
PRODUCT OUTDOOR



ASLED

ASLED LIGHT CO.,LTD

# LED UNDER WATER LIGHT 23W

02

## SPECCIFICATION



## SPECCIFICATION


- Order Code: UA023, UA023RGBW
- Input Voltage: 24VDC
- Dimension: Ø100xH152 Cutout Ø88 mm
- Chip LED: CREE
- Power consumption: 23W
- Luminous Flux: 2070lm at 3000K, 23W, CRI>90, 36°
- Material: Stainless steel
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K, RGBW
- CRI: >90
- Beam angle: 12° 15° 24° 36° 50°
- IP Rating: IP68
- Life time: 50.000 hour
- Control: ON/OFF
- Standards:
  - + RoHS; EMC protection
  - + IEC 62031LED
  - + IEC 60598 Luminaires





# LED UNDER WATER LIGHT 23W

## TECHNICAL DETAILS

### TECHNICAL DETAILS




## DIMENSIONS




# LED UNDER WATER LIGHT 23W

## SPECIFICATION


PHOTOMETRIC CURVE



BEAM 36° AMPLITUDE DIAGRAM



## OPTICS



## INSTALLATION




## CONNECTOR IP68



# LED UNDER WATER LIGHT 23W

05


## POWER SUPPLIES - INPUT VOTAGE



# LED UNDER WATER LIGHT 23W

06


## DIAGRAM CONNECTOR - DMX PROTOCOL - 4 CORE & DECODER



# LED UNDER WATER LIGHT 23W


07

## DIAGRAM CONNECTOR - DMX PROTOCOL - 5 CORE



# LED UNDER WATER LIGHT 23W - Applications

08



OUTDOOR



LANDSCAPE



HOTEL/RESTAURANT



## LED UNDER WATER LIGHT 23W - Applications





THANKS FOR YOUR  
ATTENTION