



LED SPOTLIGHT 9W - SERIES A  
PRODUCT OUTDOOR



# LED SPOTLIGHT 9W

## SPECCIFICATION



## SPECCIFICATION

- Order Code: SA009
- Input Voltage: 24VDC, 220VAC
- Dimension: Ø54xL120xH82 mm
- Chip LED: CREE
- Power consumption: 9W
- Luminous Flux: 810lm at 3000K, 9W, CRI>90, 36°
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K
- CRI: 90
- Beam angle: 12° 24° 36° 50°
- IP Rating: IP68
- Life time: 50.000 hours
- Control: ON/OFF, DIM 0 - 10V, DALI, DMX512
- Standards:
  - + RoHS; EMC protection
  - + IEC 62031LED
  - + IEC 60598 Luminaires




# LED SPOTLIGHT 9W


## TECHNICAL DETAILS

### TECHNICAL DETAILS

Reflector




Stainless steel




Chip LED CREE

Legace





Select Color XX



Lens Clear




## DIMENSIONS





# LED SPOTLIGHT 9W

## SPECIFICATION

### PHOTOMETRIC CURVE




### BEAM 36° AMPLITUDE DIAGRAM




# LED SPOTLIGHT 9W

## POWER SUPPLIES - INPUT VOTAGE




# LED SPOTLIGHT 9W

## DIAGRAM CONNECTOR - DMX PROTOCOL - 4 CORE & DECODER



# LED SPOTLIGHT 9W - Applications



OUTDOOR



LANDSCAPE



HOTEL/RESTAURANT



FACADE BUILDING



# LED SPOTLIGHT 9W - Applications





THANKS FOR YOUR  
ATTENTION