




LED POLE LIGHT 30W - SERIES H
PRODUCT OUTDOOR



ASLED

LED POLE LIGHT 30W

SPECCIFICATION




SPECCIFICATION

- Order Code: PH030
- Input Voltage: 24VDC, 220V
- Dimension: Ø150xH3500 mm
- Chip LED: CREE
- Power consumption: 30W
- Lumen Output: 2700 lm
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color[CRI]: 3000K, 4000k, 5000k
- Beam angle: 360°
- IP Rating: IP67
- Impact Resistance IK: IK09
- Life time: 50.000 hour
- Control: ON/OFF, DIM 0 - 10V, DALI, DMX512
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires


LED POLE LIGHT 30W

TECHNICAL DETAILS



TECHNICAL DETAILS



DIMENSIONS




DIAGRAMS




LED POLE LIGHT 30W

04

POWER SUPPLIES - INPUT VOTAGE





OUTDOOR



LANDSCAPE



HOTEL/RESTAURANT



FACADE BUILDING



LED POLE LIGHT 30W - Applications





THANKS FOR YOUR
ATTENTION