




LED DOWNLIGHT 10W - SERIES D
PRODUCT INDOOR



LED DOWNLIGHT 10W

SPECIFICATION



SPECIFICATION

- Order Code: DD010
- Input Voltage: 24Vdc, 220Vac, Dimmable
- Dimension: Ø90xH70 Cutout Ø80 mm
- Chip LED: CREE
- Power consumption: 10W
- Luminous Flux: 900Lm at 3000K, 10W, CRI>90, 36°
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color[CRI]: 3000K, 4000K, 5000K
- CRI: >90
- Beam angle: 12° 25° 36° 50°
- IP Rating: IP44 (Update IP67)
- Life time: 50.000 hours
- Control: ON/OFF, 0 - 10V, DALI, DMX
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires



LED DOWNLIGHT 10W

03


TECHNICAL DETAILS

TECHNICAL DETAILS




DIAGRAM


PHOTOMETRIC CURVE




BEAM 36° AMPLITUDE DIAGRAM



DIMENSIONS



INSTALLATION



LED DOWNLIGHT 10W - Applications

04



INDOOR



HOTEL/RESTAURANT



TRANSPORT



LED DOWNLIGHT 10W - Applications





THANKS FOR YOUR
ATTENTION