




LED DOWNLIGHT 7W - SERIES F
PRODUCT INDOOR



ASLED LIGHT CO.,LTD

LED DOWNLIGHT 7W

SPECIFICATION



SPECIFICATION


- Order Code: DF007
- Input Voltage: 24Vdc, 220Vac, Dimmable
- Dimension: Ø85xH36 Cutout Ø75 mm
- Chip LED: CREE
- Power consumption: 7W
- Luminous Flux: 630Lm at 3000K, 7W, CRI>90, 36°
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K
- CRI: >90
- Beam angle: 12° 25° 36° 50°
- IP Rating: IP44 (Update IP67)
- Life time: 50.000 hours
- Control: ON/OFF, 0 - 10V, DALI, DMX
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires



LED DOWNLIGHT 7W

TECHNICAL DETAILS

TECHNICAL DETAILS





Aluminium



Chip LED CREE

Legace

Select Color XX



DIMENSIONS



Beam Angle: 12° 24° 36° 50°



LED DOWNLIGHT 7W

04


SPECIFICATION

7W 3000K

PHOTOMETRIC CURVE BEAM 36° AMPLITUDE DIAGRAM



INSTALLATION





INDOOR



OFFICE



HOTEL/RESTAURANT



LED DOWNLIGHT 7W - Applications





THANKS FOR YOUR
ATTENTION