



LED UNDER WATER LIGHT 7W - SERIES A
PRODUCT OUTDOOR



LED UNDER WATER LIGHT 7W

SPECCIFICATION



SPECCIFICATION


- Order Code: UA007, UA007RGBW
- Input Voltage: 24VDC
- Dimension: Ø60xH103 Cutout Ø50 mm
- Chip LED: CREE
- Power consumption: 7W
- Luminous Flux: 630lm at 3000K, 7W, CRI>90, 36°
- Material: Stainless steel
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K, RGBW
- CRI: >90
- Beam angle: 12° 15° 24° 36° 50°
- IP Rating: IP68
- Life time: 50.000 hour
- Control: ON/OFF
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires




LED UNDER WATER LIGHT 7W

TECHNICAL DETAILS

TECHNICAL DETAILS



Legace Reflector





Connector IP68



Lens Clear




DIMENSIONS




LED UNDER WATER LIGHT 7W

SPECIFICATION


PHOTOMETRIC CURVE



BEAM 36° AMPLITUDE DIAGRAM




OPTICS



INSTALLATION




CONNECTOR IP68




LED UNDER WATER LIGHT 7W

POWER SUPPLIES - INPUT VOTAGE




LED UNDER WATER LIGHT 7W

DIAGRAM CONNECTOR - DMX PROTOCOL - 4 CORE & DECODER



LED UNDER WATER LIGHT 7W

DIAGRAM CONNECTOR - DMX PROTOCOL - 5 CORE



LED UNDER WATER LIGHT 7W - Applications



OUTDOOR



LANDSCAPE



HOTEL/RESTAURANT



LED UNDER WATER LIGHT 7W - Applications





THANKS FOR YOUR
ATTENTION