



LED UNDER WATER LIGHT 3W - SERIES A
PRODUCT OUTDOOR



ASLED LIGHT CO.,LTD

LED UNDER WATER LIGHT 3W

SPECCIFICATION



SPECCIFICATION


- Order Code: UA003
- Input Voltage: 24VDC
- Dimension: Ø40xH82 Cutout Ø36 mm
- Chip LED: CREE
- Power consumption: 3W
- Luminous Flux: 270lm at 3000K, 3W, CRI>90, 36°
- Material: Stainless steel
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K
- CRI: >90
- Beam angle: 12° 15° 24° 36° 50°
- IP Rating: IP68
- Life time: 50.000 hour
- Control: ON/OFF
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires



LED UNDER WATER LIGHT 3W

TECHNICAL DETAILS

TECHNICAL DETAILS




Connector IP68





Lens Clear



Legace Reflector




DIMENSIONS




LED UNDER WATER LIGHT 3W

04


SPECIFICATION



BEAM 36° AMPLITUDE DIAGRAM




OPTICS



INSTALLATION



CONNECTOR IP68



POWER SUPPLIES - INPUT VOTAGE

220V



POWER SUPPLIER 24V

V+
V-

LED 1

LED 2


LED 3



1. V_+ : 24V
2. V_- : 0V

LED UNDER WATER LIGHT 3W - Applications


06



OUTDOOR



LANDSCAPE



LED UNDER WATER LIGHT 3W - Applications





THANKS FOR YOUR
ATTENTION