




LED SPOTLIGHT 5W - SERIES A
PRODUCT OUTDOOR



ASLED LIGHT CO.,LTD

LED SPOTLIGHT 5W

SPECCIFICATION



SPECCIFICATION

02

- Order Code: SA005
- Input Voltage: 24VDC, 220VAC
- Dimension: Ø34xL92xH62 mm
- Chip LED: CREE
- Power consumption: 5W
- Luminous Flux: 450lm at 3000K, 5W, CRI>90, 36°
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K
- CRI: 90
- Beam angle: 12° 24° 36° 50°
- IP Rating: IP68
- Life time: 50.000 hours
- Control: ON/OFF, DIM 0 - 10V, DALI, DMX512
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires



LED SPOTLIGHT 5W

TECHNICAL DETAILS


TECHNICAL DETAILS




Lens Clear





Legace



Select Color XX



DIMENSIONS




LED SPOTLIGHT 5W




04

SPECIFICATION

PHOTOMETRIC CURVE




BEAM 36° AMPLITUDE DIAGRAM




LED SPOTLIGHT 5W

05

POWER SUPPLIES - INPUT VOTAGE





OUTDOOR



LANDSCAPE



HOTEL/RESTAURANT



LED SPOTLIGHT 5W - Applications





THANKS FOR YOUR
ATTENTION