



LED DOWNLIGHT 8W - SERIES E1
PRODUCT INDOOR



LED DOWNLIGHT 8W

02

SPECIFICATION



SPECIFICATION

- Order Code: DE1008
- Input Voltage: 24Vdc, 220Vac, Dimmable
- Dimension: Ø100xH70 Cutout Ø72 mm
- Chip Leds: CREE
- Power consumption: 8W
- Luminous Flux: 720 lm at 3000K, 8W, CRI>90, 36°
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color[CRI]: 3000K, 4000K, 5000K, RGBW
- CRI: > 90
- Beam angle: 12° 24° 36° 50°
- IP Rating: IP44
- Life time: 50.000 hours
- Control: ON/OFF, DIM 0 - 10V, DALI, DMX512
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires






LED DOWNLIGHT 8W

03

TECHNICAL DETAILS



TECHNICAL DETAILS



Aluminium

Chip LED CREE

DIMENSIONS




Beam Angle: 12° 24° 36° 50°

LED DOWNLIGHT 8W


04

SPECIFICATION


PHOTOMETRIC CURVE



BEAM 36° AMPLITUDE DIAGRAM



INSTALLATION



LED DOWNLIGHT 8W - Applications

05



INDOOR



TRANSPORT



HOTEL/RESTAURANT



LED DOWNLIGHT 8W - Applications





THANKS FOR YOUR
ATTENTION