



LED DOWNLIGHT 3W - SERIES A
PRODUCT INDOOR



LED DOWNLIGHT 3W

SPECIFICATION



SPECIFICATION


- Order Code: DA003
- Input Voltage: 24Vdc, 220Vac, Dimmable
- Dimension: Ø60xH60 Cutout Ø50 mm
- Chip Leds: CREE
- Power consumption: 3W
- Luminous Flux: 270Lm at 3000K, 3W, CRI>90, 36°
- Material: Aluminium
- Efficiency: 90%
- Environment temperature: from -30° to 60°C
- Color: 3000K, 4000K, 5000K
- CRI: >90
- Beam angle: 12° 25° 36° 50°
- IP Rating: IP44 (Update IP67)
- Life time: 50.000 hours
- Control: ON/OFF, 0 - 10V, DALI, DMX
- Standards:
 - + RoHS; EMC protection
 - + IEC 62031LED
 - + IEC 60598 Luminaires



LED DOWNLIGHT 3W



TECHNICAL DETAILS

TECHNICAL DETAILS





Legace

Select Color XX



DIMENSIONS



Beam Angle: 12° 24° 36° 50°


LED DOWNLIGHT 3W

04


SPECIFICATION

3W 3000K



PHOTOMETRIC CURVE



BEAM 36° AMPLITUDE DIAGRAM



INSTALLATION





INDOOR



OFFICE



HOTEL/RESTAURANT



LED DOWNLIGHT 3W - Applications





THANKS FOR YOUR
ATTENTION